

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Attorney Docket Q64068

Jan TOPHOLM

Appln. No.: Not Yet Assigned

Group Art Unit: Not Yet Assigned

Confirmation No.: Not Yet Assigned

Examiner: Not Yet Assigned

Filed: April 23, 2001

For: A CAD/CAM SYSTEM FOR DESIGNING A HEARING AID

PRELIMINARY AMENDMENT

Commissioner for Patents
Washington, D.C. 20231

Sir:

Prior to examination, please amend the above-identified application as follows:

IN THE CLAIMS:

Please enter the following amended claims:

46. (Amended) A CAD/CAM system according to claim 1, further adapted to output data representing the model to an apparatus for production of the shell utilizing laser sintering.


52. (Amended) A CAD/CAM system according to claim 1, further adapted to output data representing the model to an apparatus for production of the shell with an integrated face plate, a part of the face plate including the battery opening being separately manufactured, the shell being produced starting with the end opposing the face plate and terminated with an outward opening in the integrated face plate having a circumference matching the circumference of the separately manufactured part of the face plate.

PRELIMINARY AMENDMENT
Attorney Docket Q64068

REMARKS

Entry and consideration of this Amendment is respectfully requested.

Respectfully submitted,



David J. Cushing
Registration No. 28,703

SUGHRUE, MION, ZINN,
MACPEAK & SEAS, PLLC
2100 Pennsylvania Avenue, N.W.
Washington, D.C. 20037-3213
Telephone: (202) 293-7060
Facsimile: (202) 293-7860

Date: April 23, 2001

APPENDIX

VERSION WITH MARKINGS TO SHOW CHANGES MADE

IN THE CLAIMS:

The claims are amended as follows:

46. (Amended) A CAD/CAM system according to ~~claim 1-44~~claim 1, further adapted to output data representing the model to an apparatus for production of the shell utilizing laser sintering.

52. (Amended) A CAD/CAM system according to ~~claim 1-49~~claim 1, further adapted to output data representing the model to an apparatus for production of the shell with an integrated face plate, a part of the face plate including the battery opening being separately manufactured, the shell being produced starting with the end opposing the face plate and terminated with an outward opening in the integrated face plate having a circumference matching the circumference of the separately manufactured part of the face plate.